

Health Monitoring System Using Integration of Cloud and Data Mining Techniques

*¹Asadi Srinivasulu, ²G.M.Chanakya, ³E Sandhya, ⁴A.Ramprakash Reddy, ⁵K.Lakshmi Prasanna

^{*1}JNTUA, Anantapur, ^{2,3,4,5}SVEC, Tirupati, India

Email: rinu.asadi@gmail.com, chanakya.gm@gmail.com, ethala_sandhya@yahoo.co.in, prakash.cse.502@gmail.com, prasannaengg321@gmail.com

Received:10th June 2017, Accepted:25th June 2017, Published: 1st September 2017

ABSTRACT:

The data in healthcare is expected to increase in coming years as there are different kinds of health data like EHR (Electronic Health Records), genomic, that are processed with big data processing. Although many technologies are used for big processing with health care records, which uses predictive analysis however which is not sufficient for all kind of health records. Big Data Mining (BDM) methods, for example, proposal framework, order, grouping, affiliation, relapse and so on are broadly utilized as a part of human services field as of late to help enhance the quality, productivity and in addition bringing down the cost of creating social insurance frameworks. A coordination of cloud and Data mining Techniques is presented that gives a compelling approach to diminish the time, and cost of programming advancement and also state-of-the-art administrations. The data is collected from the patient and an immediate prescription is given based on the data. Further this data is been stored in the cloud data storage and is delivered to the end users. In this project we plan to predict and detect disease by mining patient's health data like diabetes detection by using K-NN algorithm, high blood pressure prediction and heart disease detection by using K-Means algorithm.

Keywords: *K-NN algorithm, K-Means algorithm, Clustering, Classification, Google Cloud Messaging, Android.*

1. INTRODUCTION

1.1 Introduction to Data Mining

Information mining procedures have been generally utilized as a part of medicinal services field because of its proficient systematic approach for recognizing significant data in wellbeing information, accessibility of therapeutic answer for the patients at lower cost, location of reasons for sicknesses and distinguishing proof of restorative treatment strategies. The "pay for utilize" estimating model, on-request registering are utilized. The result of the framework is to give advantages to medicinal services association by gathering system. The Issues that is inescapable while building up this framework. The primary test is to get quality and significant medicinal information the second test is to information investigation is a testing work and the

third test is the means by which to give an instrument which can break the outskirts of the patient and clinic administration. Information mining is a procedure of extricating the extensive measure of data from the huge informational collections by utilizing the calculations and methods that are drawn from the field of insights, machine learning and information base administration frameworks.

1.2 Introduction to Cloud Computing

A cloud based structure has been created for conveying social insurance as an administration. In it gives a Cloud based versatile pressure and secure administration administrations for 3D human services information which chiefly concentrate on managing fluctuates sorts of social insurance information sorts for further ailment recognition. The work in gives a cloud based structure to home analysis over enormous medicinal information. All these exploration works took the upsides of the quick improvement, versatility, fast provisioning, moment flexibility, more prominent strength, fast re-constitution of administrations, ease fiasco

Android is a compact working system made by Google, in perspective of the Linux part and arranged on a very basic level for touch screen PDAs, for instance, propelled cell phones and tablets. Android's UI is for the most part in light of direct control, using touch movements that uninhibitedly contrast with bona fide exercises, for instance, swiping, tapping and pressing, to control on-screen objects, close by a virtual reassurance for substance data. Despite touch screen devices, Google has moreover made Android TV for TVs, Android Auto for cars and Android Wear for wrist watches, each with a particular UI. Varieties of Android are moreover used.

1.3 Introduction to IoT

This is the universe of the Internet of Things (IoT).The IoT is by and large considered as associating items to the Internet and utilizing that association for control of those articles or remote observing. Be that as it may, this definition was alluded just to some portion of IOT development considering the machine to machine showcase today. In any case, genuine meaning of IoT is making a splendid, undetectable system which can be detected, controlled and modified. The items created in light of IoT incorporate installed innovation which enables them to trade data, with each other or the Internet and it is evaluated that

around 8 to 50 billion gadgets will be associated by 2020. Since these gadgets come on the web, they give better way of life, make more secure and more connected with groups and altered social insurance. The whole idea of IoT stands on sensors, portal and remote system which empower clients to impart and get to the application/data. In any case, among every one of the districts no place does the IoT offer more conspicuous certification than in the field of wellbeing mindfulness. As a platitude goes "Wellbeing is riches" it is uncommonly essential to make use of the development for better prosperity. Therefore it is obliged to add to an IoT structure which gives secure wellbeing mindfulness checking. So sketching out a sagacious therapeutic administrations system where customer data is gotten by the sensor and sent to the cloud through Wi-Fi and allowing simply endorsed customers to get to the data.

2. LITERATURE SURVEY

K-Means Clustering is a system for gathering examination which plans to package n recognitions into k bundles in which each discernment has a place with the group with the nearest mean. The figuring is called k -suggests, where k is the amount of gatherings, since a case is consigned to the pack for which its detachment to the gathering mean is the humblest. It is a segment strategy method which finds common select bunches of circular shape. It produces a particular number of disjoint, level (nonhierarchical) groups. The action in the figuring centers around finding the k -inferred. We start with a fundamental course of action of means and request cases in light of their divisions to the core interests. Next, we prepare the pack inferences again, using the cases that are delegated to the gathering; by then, we rename all cases in perspective of the new game plan of means. We keep repeating this movement until pack inferences don't change much between dynamic steps. Finally, we figure the strategies for the gatherings toward the day's end and dole out the cases to their constant bundles. Chitra Pasupathi and Vijaya Kalavakonda et al [1] proposed: Approach: Health mind examination speaks to a solid test to specialists and is the scope of research in which trillions of aggregates are being spent by all countries. The Institute of Medicine proposes a few suggestions to build the nature of human services. Diverse information mining calculations have been connected on the voluminous wellbeing records to help basic leadership handle. In this proposed framework, the patient wellbeing conditions are dissected and correct sickness is determined utilizing Big Data examination to have Evidence Based system. Patient's therapeutic history and current confirmations are considered to analyze and tranquilize recommendation. Persistent examination report is created to screen the recuperation and

patient input of the proposed medication is recorded to witness the achievement rate of the determination procedure. This framework investigated the likelihood of using the enormous information systems for proof based human services support to enhance the unwavering quality of medicinal treatment. In illustration affirmation, the k -nearest neighbor's computation (k -NN) is a non-parametric technique used for course of action and backslides. In both cases, the data includes the k closest get ready cases in the part space. The yield depends on upon whether k -NN is used for game plan or backslides:

- In k -NN portrayal, the yield is a class support. A question is described by a lion's offer vote of its neighbours, with the dissent being doled out to the class most consistent among its k nearest neighbours (k is a positive entire number, ordinarily little). If $k = 1$, by then the challenge is only doled out to the class of that singular nearest neighbour.
- In k -NN relapse, the yield is the property estimation for the protest. This esteem is the normal of the estimations of its k closest neighbours.

The single NN administer has been appeared to be allowable among the class of k , - NN rules for the n -test case for any n . It has been demonstrated that the NN likelihood of mistake R , in the M -class order issue, is limited beneath by the Bayes likelihood of blunder R'' or more by $R^*(2 - MR^*/(M - 1))$. In this manner whatever other choice manage in view of the endless informational collection can cut the likelihood of mistake by at most one half. In this sense, half of the inaccessible data in an endless accumulation of arranged specimens is contained in the closest neighbor.


3. EXISTING SYSTEM

There are two gatherings of the information input members, conduct badly arranged patients alluded to as G1 and conduct clients marked G2. The contrast between the two is that, patients in gathering G2, alongside their relatives and specialists, can specifically embed patient's information into the framework while those in gathering G1, can't. Cases of patients in this gathering are patients with dementia who require extraordinary care. Keeping in mind the end goal to gather malady information identified with this unique gathering, we have set up a sensor organize (SN) to gather genuine information from the lab and one human services focus. Outsider Server (TPS) is accountable for information preprocessing, unusual circumstances recognition (allude to our past work), sickness forecast and discovery (current work). In the wake of handling, TPS sends result and prepared information to the cloud demonstrates which is utilized to store information and exchange

information. This model is executed by utilizing GCSql and GCM cloud administrations. While accepting the solicitations from the TPS, cloud show reactions quickly as indicated by these solicitations, stores information or sends information to the gadgets enlisted to it. At long last, the end client, parental figure communicates with the cell phones

to check the most recent status of the patients. At the point when there is a pressing circumstance, for example, fall distinguished by the TPS, it will offer cautioning to the parental figure on the cell phones through cloud show and the guardian can regulate the patient progressively on the opposite side.

Figure 3.1: Architecture of the Healthcare System



4. PROPOSED SYSTEM

This section briefly describes data mining, cloud platform and some key techniques we used in our work.

4.1.1 Data Mining (DM)

Data mining is the route toward finding entrancing illustrations and gaining from a great deal of data. The data sources can consolidate databases, data conveyance focuses, the web, other information files, or data that are spilled into the structure effectively. It contains 6 noteworthy undertakings: inconsistency discovery, affiliation lead getting the hang of, bunching, arrangement, relapse and rundown of information. Information mining functionalities are utilized to determine the sorts of examples to be found in information mining assignments. When all is said in done, such errands can be characterized into two classes: engaging and prescient. Engaging mining errands incorporate affiliation, bunching, and rundown. These errands, describe properties of the information in an objective informational collection. Prescient mining assignments incorporate arrangement, and relapse. They perform acceptance on the present information so as to make expectations.

B. GCM and GCSql: Google Cloud Messaging (GCM) for Android is an administration that enables a client to send information from their server to their customers' Android-fueled gadget, and furthermore to get messages from gadgets on a similar

association. The GCM benefit handles all parts of queueing of messages and conveyance to the objective Android application running on the objective gadget, and it is totally free. For an android controlled gadget to enlist and utilize the administrations, right off the bat the gadget sends its gadget id, and the application id to the GCM server for enrollment, upon fruitful enlistment the GCM server issues enrollment id to the android gadget. Subsequent to getting enlistment id the gadget will send it to an outsider server (TPS). The server will then store the enrollment id in its database for later utilizations. Google Cloud SQL (GCSql) utilizes MySQL sent in the cloud and in this manner the client gets every one of the advantages of utilizing Explore Analytics with MySQL. Investigate Analytics gives guide availability to Google Cloud SQL for live detailing, enabling the client to convey radiant information examination, representation, and revealing. The information dwells in Google Cloud SQL occurrence and there's no compelling reason to exchange the information to Explore Analytics.

C. Data Stream Analysis and Time Series Analysis: An information stream is a requested grouping of information occasions with the property of read once. Consequently, in numerous uses of information stream mining the information can be perused just once or few times utilizing restricted processing and capacity abilities. Information Stream Mining is the way toward extricating

learning structures from consistent, fast information records. Tuple is the essential component of the stream for preparing. Two fundamental issues are the principle issues for the spilling information. They are to be specific, information inspecting and sifting. Since we can't store the whole stream, we can store a settled extent or information of a specific period time. Two essential issues for stream information are testing information, and sifting information. The Bloom Filter procedure is a well known calculation to do separating. A period arrangement is an arrangement of perceptions xt, every one being recorded at a particular time.

D. Mobile Healthcare Management: Versatile Healthcare Management can be characterized as "A completely coordinated and far reaching medicinal services administration that incorporates the coordinated interconnection and connection of the patient, social insurance supplier, usage analyst and manager to incorporate inside a solitary framework each of the fundamental members to furnish patients with finish and extensive pre-treatment, treatment and post-treatment human services and foreordained monetary support. The framework created ought to be able to associate all members together with the end goal of giving top notch social insurance administrations. As indicated by a study given by Economist Intelligence Unit, a market determining and investigation specialty unit of The Economist estimated that the most widely recognized employments of versatile wellbeing innovations will move throughout the following five years as mechanical advances get up to speed to the individual and expert wellbeing needs and requests of patients, payers and suppliers.

5. IMPLEMENTATION

In item improvement and process streamlining, a prerequisite is a solitary archived physical and useful need that a specific outline, item or process must have the capacity to perform. It is most usually utilized as a part of a formal sense in frameworks building, programming designing, or undertaking designing. It is an announcement that recognizes an important trait, ability, trademark, or nature of a framework for it to have esteem and utility to a client, association, inward client, or other partner. A prerequisite detail (regularly loosely alluded to as the spec, in light of the fact that there are distinctive sorts of particulars) alludes to an unequivocal arrangement of necessities to be fulfilled by a material, outline, item, or administration. In the traditional building approach, sets of necessities are utilized as contributions to the plan phases of item advancement. Prerequisites are additionally a vital contribution to the confirmation procedure, since tests ought to follow back to

particular necessities. Prerequisites indicate what components and capacities are essential for the specific venture. This is reflected in the waterfall model of the product life-cycle. Be that as it may, when iterative techniques for programming improvement or dexterous strategies are utilized, the framework prerequisites are incrementally created in parallel with plan and execution.

Google/Firebase Cloud Messaging: Firebase Cloud Messaging (FCM) is a cross-organize educating game plan that lets you reliably pass on messages at no cost. Using FCM, you can tell a client application that new email or other data is open to synchronize. You can send cautioning messages to drive customer reengagement and support. For use cases, for instance, messaging, a message can trade a payload of up to 4KB for customer.

Google Cloud SQL: Cloud SQL is a totally regulated database advantage that makes it easy to set up, keep up, supervise, and control your social PostgreSQL BETA and MySQL databases in the cloud. Cloud SQL offers world class, flexibility, and solace. Encouraged on Google Cloud Platform, Cloud SQL gives a database establishment to applications running wherever. Android (Version 4+): Android 4.0 (ICE_CREAM_SANDWICH) is a noteworthy stage discharge that mixes it up of new components for clients and application engineers.

6. RESULTS OF PROPOSED APPROACHES

As of late, we have completed the plan of the entire framework, however the usage is as yet experiencing. Information gathering model of the framework have been done. New wearable sensors we utilized as a part of our current work. Here it is consolidated reproduced information and modest number of genuine information as testing information for framework usage. As of now, the TPS can communicate with the android gadgets through cloud demonstrate. A few gadgets have been utilized with the end goal of testing including Nexus 5, Nexus 7, LG G cushion 8.3, and so forth. The framework has connected calculation 2 k-implies grouping calculation to the reproduced information which comprise of 8019 articles and 693 credits to recognize coronary illness. Two phases of the examination are incorporated into our work. The main research arrange called irregular circumstance discovery, for example, falling over recognition, leaving the protected region location, anomalous life design and strange dozing design identification has been executed in our past distribution.

Figure 6.1: Output of Spark execution.

```
[INFO]
[INFO] --- maven-jar-plugin:2.4:jar (default-jar) @ knn ---
[INFO] Building jar: /home/blb/SPARK_HOME/knn_heart/target/knn-1.0.jar
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 12.790 s
[INFO] Finished at: 2017-04-01T21:27:08+05:30
[INFO] Final Memory: 32M/77M
[INFO] -----
blb@ubuntu:~/SPARK_HOME/knn_heart$ spark-submit --class "KNN" --master local[*] target/knn-1.0.jar 52 2 120 0 0 118 0
[(query,1)]
*****
Heart disease test resulted "positive"
contact doctor for checkup
*****
blb@ubuntu:~/SPARK_HOME/knn_heart$ spark-submit --class "KNN" --master local[*] target/knn-1.0.jar
Usage: Please enter age, chest_pain_type, rest_bp, max_heart_rate, exercise_angina as arguments
blb@ubuntu:~/SPARK_HOME/knn_heart$ spark-submit --class "KNN" --master local[*] target/knn-1.0.jar 38 4 120 0 0 170 0
[(query,0)]
*****
Heart disease test resulted "negative"
*****
blb@ubuntu:~/SPARK_HOME/knn_heart$
```

The spark execution is done to predict the disease of the patient. Here the algorithm is run as per the patient details and the presence or absence of the disease can be found.

Execution time: It takes few seconds for the execution. The time required to navigate from one page to another in the project is as same as the time taken for the application to load. The project execution also depends on the internet capability and system performance. System performance is based on system software, system hardware and space available in the system.

7. CONCLUSION

Cloud computing and Data Mining has extraordinarily changed the method for creating programming from multiple points of view, it gives a quick, minimal effort, sheltered and simple approach to outline new programming. In our work, we outlined and incompletely executed a far reaching social insurance framework sickness forecast and identification. The framework is composed and created by the unpretentious, simple to convey, powerful, minimal effort and constant standards. For the following phase of research, first thing is to execute the entire framework, at that point do inside and out recreations to approve the framework execution, specifically, reenact different situations to affirm its versatility with a specific end goal to apply our framework to genuine condition. A few calculations are under thought to enhance their execution, for example, utilizing K*-implies, UK intends to supplant k-implies. We likewise plan to extend our framework to iOS stage later on.

REFERENCES

- [1] T.Balasubramanian and R. Umarani, "Clustering as a Data mining techniques in health hazards of high levels of fluoride in portable water" (IJACSA) international journal of advanced computer science and applications
- [2] K. Sharmila and R. Bhuvana, "Role of big data analytics in healthcare using data minng" Elysium journal
- [3] Madhura, A. and Dr. Mahendra P, "Review of big data challenges in healthcare applications" IOSR Journal of Computer Engineering (IOSR-JCE)
- [4] Soumya S. Kenganal and Dr. Rengaprabhu P, "Real time health care monitoring system using android mobile" International journal of advanced researching electrical, electronics and instrumentation engineering
- [5] Aruna devi.S, Godfrey winstin.s, sasikumar. S, "Patient health monitoring system using IOT devices" International Journal of Computer Science & Engineering Technology (IJCSSET)
- [6] Chitra pasupathi and vijaya kalavandonda, "Confirmation based human services system utilizing enormous information for ailment determination" International Conference on Advances in Electrical, Electronics, Information, Communication and Bio-Informatics (AEEICB16).
- [7] Bhoomika.B.K and Dr.K.N Muralidhara, "Secured smart healthcare monitoring system based on IOT" International Journal

- on Recent and Innovation Trends in Computing and Communication ISSN: 2321-8169 Volume: 3 Issue:7
- [8] Moeen Hassanali, Alex Page, Tolga Soyata, Gaurav Sharma, Mehmet Aktas, Gonzalo Mateo Burak Kantarci, Silvana Andreescu, "Health monitoring and management using IOT sensing with cloud based processing: opportunities and challenges" 2015 IEEE International Conference on Services Computing.
- [9] Sathyendranath Malli, Dr. Nagesh H R, Dr. H G Joshi, "A study on rural health care data sets using clustering algorithms" International Journal of Engineering Research ISSN:2319-6890(online),2347-5013(print) Volume No.3, Issue No.8, pp : 546-548
- [10] Sreekanth R, Dr. Gondkar RR, "Map reduce program to efficiency analyse big data electronic health records database using hodoop cluster on amazon elastic compute cloud" International journal of advanced research in computer science and software engineering Volume 5,issue 8, august 2015
- [11] Adria Haimann and Elias Mossialos, "Big data and health care: challenges and opportunities for co ordinate policy development in the EU" ISSN: 2328-8604 (Print) 2328-8620 (Online) Journal homepage.
- [12] R.Nithya1, P.Manikandan2, Dr.D.Ramyachitra, "Analysis of clustering technique for the diabetes dataset using the training set parameter" International Journal of Advanced Research in Computer and Communication Engineering Vol. 4, Issue 9, September 2015.